

FATTENING PRODUCTS

VOERMOL PHASE D BULL CUBES

Class: Complete Ruminant Feed

VOERMOL PHASE D BULL CUBES is a complete feed for the feeding of bulls:

- contains the necessary minerals, trace minerals as well as Vitamins A, D3 and E, to achieve optimum performance;
- contains an ionophore and other medicaments to improve performance and efficiency;
- ensures that bulls grow out properly and don't become over fat;
- feed to bulls that need to be prepared for a show, auction or breeding season;
- can be used for a Phase D test.



COMPOSITION OF VOERMOL PHASE D BULL CUBES

REG NO V22521 (Act 36/1947)

(g/kg)

(mg/kg)

Protein*	(min)	120	Manganese	40
Urea	(max)	10	Copper	15
Moisture	(max)	120	Cobalt	0.5
Crude Fibre	(max)	180	Iron	50
Fat	(min)	25	Iodine	2
Calcium	(max)	10	Zinc	60
Phosphorus	(min)	3.5	Selenium	0.2
Magnesium	(min)	2.2	Vitamin A (IU/kg)	4 500
Sulphur	(min)	2	Vitamin D3 (IU/kg)	250
			Vitamin E (mg/kg)	20
			Energy (MJ ME/kg)	9.5

*29.46 % derived from NPN

Packaging – 50 kg

See urea warning

FEEDING INSTRUCTIONS

Voermol Phase D Bull Cubes is a complete feed and can be fed *ad lib*. If a bull is in good condition the **Voermol Phase D Bull Cubes** can be limited to 2 % of body weight with hay and/or grazing *ad lib*.



VOERMOL

UREA WARNING

UREA

The majority of licks contain urea that can be dangerous under certain conditions. During the formulation and manufacturing process of **Voermol** licks, great care is taken to minimise the risks of feeding urea. The possibilities of urea poisoning can be further reduced by taking note of the following:

- use licks as prescribed;
- limit lick intake to the prescribed maximum levels;
- feed the licks together with sufficient grazing and/or roughage;
- take special care during feed scarcity (drought conditions) to prevent high lick intake;
- prevent excessive lick intake in the initial stages (salt hunger) by allowing the animals access to **Voermol Rumevite 6P** for the first 14 days;
- do not let licks get wet.

See urea warning on the back of the bag.

UREA WARNING

This farm feed contains NPN (Non-Protein Nitrogen) sources and must therefore be fed strictly according to instructions for use.

- Vinegar is an effective remedy against NPN poisoning. Mix with an equal amount of water. Dose half a bottle per calf/sheep or 2 – 4 bottles per head of cattle (1 bottle = 750 ml).
- Protect this farm feed against rain. NPN is soluble and animals drinking such a solution could be poisoned.
- Do not feed this farm feed indiscriminately with other NPN containing farm feeds. Consult an animal scientist.
- Mix concentrate thoroughly with the prescribed ingredients.
- This is a supplement and not a feed. Sufficient grazing and/or roughage must be available at all times.
- Keep lick troughs filled and prevent gluttonous eating by hungry animals. A constant daily intake can help prevent poisoning.
- Before feeding a NPN containing lick, feed an ordinary salt / phosphate lick for at least 7 days.

GMO STATEMENT

These animal feeds may contain ingredients derived from GMO (genetically modified organisms) origin.



VOERMOL